

***THE ULTIMATE  
PEOPLE MOVER***

Impress your guests with easy, efficient transportation solutions. Perfect for moving guests, students, or any visitor. Comfortable, stylish, and perfect for resorts, campus tours, and more.



## Villager 6

### PREMIUM COMFORT AND DURABILITY

With power and versatility, Villager 6 comes equipped with a rustproof frame and an independent front suspension system that delivers a smooth ride every time.



## Villager 8

### IMPRESS WITH OUR "LITTLE LIMO"

Comfort, style, and reliability—the Villager 8 moves up to eight people in a single trip while easily navigating narrow areas not accessible to conventional vehicles, making it a great alternative to expensive vans.



## Tempo 2+2

### PULL UP IN STYLE

Sleek, compact design gives you a tight turn radius for easy mobility. Plus, transform the backseat into a convenient cargo bed for additional hauling.





## TRANSPORTER FLEXIBLE HAULING

Built for versatility, the Carryall Transporter is designed to carry four to six passengers and additional cargo wherever you need it. Plus, available fit-to-task equipment allows you to customize your vehicle for the job at hand.



## TRANSPORTER XL PEOPLE, EQUIPMENT, & EVERYTHING IN BETWEEN

Our new XL Transporter is the most cost-effective and customizable transportation vehicle yet. Go from hauling to transporting—or a combination of both—all on the durable Transporter platform.



Built for versatility, the Carryall Transporter is designed to carry four to six passengers and additional cargo wherever you need it.





**Tampa 2+ 2**



**ELECTRIC**


**TRANSPORTER**



**GASOLINE**

**ELECTRIC**

**TRANSPORTER XL**



**GASOLINE**

**ELECTRIC**

*Villager 6*



**GASOLINE**

**ELECTRIC**

*Villager 8*



**GASOLINE**

**ELECTRIC**

<b>ENGINE</b>	48-volt DC	Kohler EFI, 4-cycle Gas	48-volt DC	Kohler EFI, 4-cycle Gas	48-volt DC	Kohler EFI, 4-cycle Gas	48-volt DC	Kohler EFI, 4-cycle Gas	48-volt DC
<b>HORSEPOWER</b>	3.3 hp (2.4 kW) rated; peak 13 hp (9.6 kW)	14 hp (10.3 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	14 hp (10.3 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	14 hp (10.3 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	14 hp (10.3 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)
<b>GOVERNOR GUARD</b>	N/A	Ground speed	N/A	Ground speed	N/A	Ground speed	N/A	Ground speed	N/A
<b>BATTERIES</b>	Six 8-volt flooded lead acid	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid
<b>CHARGER</b>	E.R.I.C. (650 W high frequency)	N/A	On-board DeltaQ QuiQ (1 kW High Frequency)	N/A	DeltaQ QuiQ (1 kW High Frequency)	N/A	On-board DeltaQ QuiQ (1 kW High Frequency)	N/A	On-board DeltaQ QuiQ (1 kW High Frequency)
<b>STEERING</b>	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion
<b>FRONT SUSPENSION</b>	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks
<b>BRAKES</b>	Rear wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum
<b>PARK BRAKE</b>	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock
<b>BODY AND FINISH</b>	Molded-in color, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish
<b>TIRES</b>	18 x 8.50-8, 4-ply rated, premium tread	20 x 10-10, 6-ply rated, premium tread	20 x 10-10, 6-ply rated, premium tread	20 x 10-10, 6-ply rated, premium tread	20 x 10-10, 6-ply rated, premium tread	18 x 8.50-8, 4-ply rated, premium tread	18 x 8.50-8, 4-ply rated, premium tread	18 x 6.50-8, 6-ply rated, premium tread	18 x 6.50-8, 6-ply rated, premium tread
<b>BED L x W x H</b>	N/A	37 x 47.5 x 10.5 in (94 x 120 x 27 cm) (Cargo Box)	37 x 47.5 x 10.5 in (94 x 120 x 27 cm) (Cargo Box)	N/A	N/A	N/A	N/A	N/A	N/A
<b>WHEELBASE</b>	65.5 in (166 cm)	99.1 in (252 cm)	99.1 in (252 cm)	132.1 in (336 cm)	132.1 in (336 cm)	98.5 in (250 cm)	98.5 in (250 cm)	131.5 in (334 cm)	131.5 in (334 cm)
<b>GROUND CLEARANCE</b>	4.5 in (11 cm)	5.6 in (14 cm)	5.2 in (14 cm)	5.6 in (14 cm)	5.2 in (14 cm)	4.5 in (11 cm)	4.5 in (11 cm)	4.5 in (11 cm)	4.5 in (11 cm)
<b>FUEL TANK CAPACITY</b>	N/A	5.5 gal (20.8 L)	N/A	5.5 gal (20.8 L)	N/A	5.5 gal (20.8 L)	N/A	5.5 gal (20.8 L)	N/A
<b>CURB WEIGHT</b>	N/A	932 lb (423 kg) stakeside; 943 lb (428 kg) with rear seat	1494 lb (678 kg) stakeside; 1505 lbs (684 kg) with rear seat	1104 lb (501 kg) 8 passenger	1646 lb (747 kg) 8 passenger	773 lb (350 kg)	1105 lb (502 kg)	894 lb (405 kg)	1219 lb (554 kg)
<b>SPEED RANGE</b>	5-15 mph (8-24.1 km/h)	15-17 mph (24-27 km/h)	5-17 mph (24-27 km/h)	15-17 mph (24-27 km/h)	5-17 mph (24-27 km/h)	15-17 mph (24-27 km/h)	5-17 mph (24-27 km/h)	15-17 mph (24-27 km/h)	5-17 mph (24-27 km/h)
<b>LIMITED WARRANTY</b>	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle

White      Beige      Dark Gray      Dark Green      Titanium      Black      Classic Blue      Bright Blue      Ice Blue      Red

Colors may vary by product